INDEX

RUBBER CHEMISTRY AND TECHNOLOGY VOLUME XXIII, 1950

AUTHOR INDEX

	Page		Page
ADDOBBATI, A. See GENOVA, J. ADAMS, R. J., BUCKLER, E. J., AND WANLESS, G. G. Low-temperature performance of		 AND SCHOFIELD, J. R. Measurement of stress relaxation of unvulcanized rubber by means of the Mooney shearing-disc vis- 	
Butyl inner tubes	670	cometer	601
III. Viscosity of carbon black suspensions in GR-S solutions	803	gen-free atmosphere. Boonstra, B. B. S. T. Free retraction of	537
in GR-S solutions. ———————————————————————————————————	000	elongated rubbers. Tensile properties of natural and synthetic rubbers at elevated and subnormal tem-	587
black. Arkhagel'skaya, M. See Dogadkin, B. Arlman, J. J. The degree of crystallinity in	417	Borroff, E. M., and Wake, W. D. Adhesion of rubber to textiles.	338
natural rubber. III. Correlation be- tween x-ray and density measurements.	306	 Factors influencing the load required to strip rubber from fabric and foil sur- 	
See GOPPEL, J. M. , AND GOPPEL, J. M. The degree of crystallinity in natural rubber. V. A dis-		faces. III. Examination of test technique IV. Formation of staple fiber in rubber-to-	482 492
cussion of the x-ray results on natural rub- ber in connection with the work of Flory,	910	fabric adhesion	500
Gee, and Wildshut	319	agation	137
BACCAREDDA, MARIO. See NATTA, GIULIO. BARNETT, C. E., AND JONES, H. C. Role of adsorption in reënforcement of GR-S	229	bonding W. J. S. Rubber	945
BARTENEY, G. See DOGADEIN, B. BAUMINGER, B. B., AND POULTON, F. C. J.		CHAMBERS, W. T. Direct determination of oxygen in rubbers. Application of the	
Combusion method for the estimation of carbon black in compounded rubber Barton, Bernard C. Use of oxidizing	706	Unterzaucher method	727
agents in rubber vulcanization. Zinc oxide-free process	888	synthetic rubbers. Cole, J. O. See Glazer, E. J. Conant, F. S., Hall, G. L., and Thurman,	217
Polyurethans. VI. New types of highly	812	coefficients and moduli of vulcanized rub-	
elastic substances. Vulcollans		CRAWFORD, R. A., AND TIGER, G. J. Improved-processing GR-S by variations in	44
of some rubber and synthetic-rubber vul-	54	CROFT-WHITE, P. G. See BEAVEN, E. W. J. COLE, J. O. See GLAZER, E. J.	242
Beaven, E. W. J., Croft-White, P. G., Garner, P. J., and Rooney, G. Tack-	786	DANNENBERG, E. M., AND STOKES, C. A.	
meter for rubber testing	719	Characteristics of reënforcing furnace blacks. Processing shrinkage	252
B. ACK, CARL E. III. See AMBORSKI, LEON-	933	for Heyea latex	981
BLACK, S. A. See MOONEY, M.		D'IANNI, J. D. See GLAZER, E. J. DOBROMSLOVA, A. See DOGADKIN, B.	
BLAKE, JOHN T., AND KITCHIN, DONALD W. Effect of soil microorganisms on rubber	117	N. Investigations in the field of rubber vulcanization. VI. Change in two-dimen-	
BLANCHARD, A. F., AND PARKINSON, D. Structures in rubber reënforced by carbon	117	sional extension modulus during vulcaniza- tion of natural and butadiene-styrene rub-	
black. BLOOMFIELD, GEORGE F. Reaction of sulfur and sulfur compounds with olfinic substances. VI. Factors influencing cyclic	615	bers. AND KARMIN, B. Investigations in the field of rubber vulcanization. IV. Phenomenon of vulcanization optimum in mix-	553
sulfide formation in the reaction of sulfur with polyisoprenes	326	tures with a large porportion of constructive agent	1
BLOW, C. M. Estimation of small percent-	300	KARMIN, DOBROMSLOVA, AND SAPO-	

	Page		Page
rubber vulcanization. VII. Influence of organic accelerators on the kinetics of vulcanization and proportion of natural publicanization.		Homans, L. N. S., and Gils, G. E. van. Fresh Hevea latex. A complex colloidal	
canization and properties of natural-rubber vulcanizates.	563	HOUWINK, R. Interaction between polymers	644
, Soboleva, I., and Arkhangel'- skaya, M. Determination of the molecu-		and fillers. HUMPHREYS, N. C. H., AND WAKE, W. C.	414
lar weight of rubber and polystyrene by the methods of light scattering and osmometry.	89	Structure of vulcanized latex	847
	0.0	IVEY, DONALD G., MROWCA, B. A., AND GUTH,	
FLETCHER, W. P. Some problems involved in the grading and testing of natural rub-		EUGENE. Propagation of ultrasonic bulk waves in high polymers.	172
ber. A progress report	107		
increases in latex compounds	691	JONES, J. P. See GEHMAN, S. D.	
increases in latex compounds		JUVE, R. D., AND MARSH, J. W. Low-tem- perature behavior of butadiene-styrene co-	
MARCIA C. Dependence of elastic prop-		polymers. Effect of compounding vari-	
erties of vulcanized rubber on the degree of cross-linking.	9	JUVE, R. D. See BEATTY, J. R.	760
Dependence of tensile strength of vulcan-			
ized rubber on the degree of cross-linking Forman, D. B., Radcliff, R. R., and Mayo, L. R. Vulcanization of Neoprene Type W	27	KABMIN, B. See DOGADKIN, B. KITCHIN, DONALD W. See BLAKE, JOHN T. KONINGSBERGER, C. See SALOMON, G.	
L. R. Vulcanization of Neoprene Type W	874		
MARSHALL BORERT E Thermodynamics		LAWRENCE, J. W., AND SHELTON, J. REID. Oxidation of compounds structurally re- lated to GR-S.	
of crystallization in high polymers. VI.		lated to GR-S	836
Incipient crystallization in stretched vul- canized rubber	576	LE Bras, J., AND SALVETTI, A. Kinetic study of the oxidation of rubber. I.	
		Some observations in the case of raw rub-	
GALL, W. MURRAY. Compounding of hard	266	Have mechanical stresses any effect on the	374
rubber (natural and synthetic)	200	oxidizability of rubber?	535
tex-reclaim-casein mixtures for rubber-cord fabric adhesion	698	MAYO, L. R. See FORMAN, D. B.	
GARNER, P. J. See BEAVEN, E. W. J. GEHMAN, S. D., JONES, P. J., WILKINSON, C. S. Jr., AND WOODFORD, D. E. LOW-tem-	300	MATO, L. R. See FORMAN, D. B. McCracken, E. A. See Beckwith, R. K. McElwain, Robert E. See Pollack,	
S. Jr., AND WOODFORD, D. E. Low-tem-		Louis R.	
perature stiffening of elastomers	770	MAFFEI, FRACISCO J., AND OUTA, M. Re- action of bromine with rubber in aqueous	
Genova, J., and Addobbatt, A. Determina- tion of copper in raw materials used in the		suspension, and its analytical use	457
rubber industry	972	G. Jr.	
rubber industry. Gils, G. E. van. See Homans, L. N. S. Glazer, E. J., Pareks, C. R., Cole, J. O., and D'IANNI, J. D. Stability of crude GR-S.		MARTIN, G. Preparation and properties of	440
D'IANNI, J. D. Stability of crude GR-S. Effect of traces of antioxidant	905	highly purified rubber	110.
GOLDFINGER, GEORGE, See AMBORSKI,			205
LEONARD E. GOPPEL, J. M. See ARLMAN, J. J.		MEYER, A. W. See HART, E. J.	200
GOPPEL, J. M. See ARLMAN, J. J. AND ARLMAN, J. J. The degree of crystallinity of natural rubber. IV. The		MEYER, A. W. See HABT, E. J. MOAKES, R. C. W. See HAMMOND, G. L. MOCHEL, W. E. See WALKER, H. W.	
degree of crystallization in frozen raw rub-		MOONEY, M., AND BLACK, S. A. Elongation hysteresis of Hevea and synthetic elasto-	
ber and stretched vulcanized rubber	310	mers	744
metals by means of new chemical deriva-		MROWCA, B. A. See IVEY, DONALD G.; WITTE, R. S.	
GUTH, EUGENE. See IVEY, DONALD G.:	281	MULLER, E. See BAYER, O.	
WITTE, R. S. Theory of filler reënforcement. II	635	MULLINS, L. Permanent set in vulcanized rubber	536
r neory of uner reemorcement. 11	000	Thixotropic behavior of earbon black in	
DE HAAN-HOMANS, (MRS.) L. N. S. Oxida-		rubber	733
HAEHL, ADRIEN. Use of ginc dibutyldithi-	858	NAUNTON, W. J. S. See BUIST, J. M. NATTA, GIULIO, AND BACCAREDDA, MABIO.	
ocarbamate in the manufacture of cellular		Velocity of propagation of ultrasonic waves	
rubber HALL, G. L. See CONANT, F. S.	897	and the form of the molecules of high poly- mers	151
HAMMOND, G. L., AND MOAKES, R. C. W. Adhesion of rubber and textiles. I. Pre-		Nelson, J. F. See Beckwith, R. K. Nijveld, H. A. W. Tear resistance of vul-	
liminary evaluation of synthetic rubbers in	1	canized rubber	362
rubber-to-fabric adhesion	467	Nelson, J. F. See Beckwith, R. K. Novikova, N. See Dogadkin, B.	
condensation rubbers HART, E. J., AND MEYER, A. W. Infrared studies of 1,2- and trans-1,4-structure of polybutadiene and butadiene-styrene co-	608	OUTA, M. See MAFFEI, FRANCISCO J.	
studies of 1,2- and trans-1,4-structure of		Park, Chullchai, and Yoshida, Usaburo. Tensile strength of rubber and the rubber	
polymers polymerized at various tempera-		molecule	581
HAWORTH, JAMES, AND PRYER, W. R. Stain	. 98	molecule. PARKINSON, D. See BLANCHARD, A. F. PARKS, C. R. See GLAZER, E. J. PETERSEN, S. See BAYER, O. PIEPENBRINK, H. F. See BAYER, O. PIEPENBRINK, H. F. See BAYER, O.	
ing problems associated with rubber chemi-		PETERSEN, S. See BAYER, O.	
HOEKSTRA, J. See VAN ROSSEM, A. AND VAN ROSSEM, A. Mastication o	512	PITTMAN, G. A., AND THORNLEY, E. R. Dy-	
rubber, II	196	namic compression test for adhesion of rubber-to-cord fabric	921

	Page		Page
POLLACK, LOUIS R., McELWAIN, ROBERT E.,	- up	STOKES, C. A. See DANNENBERG, E. M.	rage
Pollack, Louis R., McElwain, Robert E., and Wagner, Paul T. Oxygen absorp- tion of vulcanisates. A means of evaluat-		STOKES, C. A. See DANNENBERG, E. M. STOREY, E. G. Evaluation of flex life and	
tion of vulcanizates. A means of evaluat-		heat build-up properties of elastomers	910
ing aging resistance. Poulton, F. C. J. See Bauminger, B. B. AND TARRANT, L. Polarographic determination of spin in convenient.	425	m 'r o n n o .	
AND TARRANG I Polarographic		TARRANT, L. See POULTON, F. C. JR. THORNLEY, E. R. See PITTMANN, G. A. THURMAN, G. R. See CONANT, F. S. THURMAN, J. W. S. WOODLIA	
determination of sine in compounded		THURNAN G. P. See CONANT F. S.	
rubber	975	THURMAN, G. R. See CONANT, F. S. TILTON, L. W. See WOOD, L. A. TOBOLSKY, ARTHUR V. See MESROBIAN.	
PRYER, W. R. See HAWORTH, JAMES.		TOBOLSKY, ARTHUR V. See MESROBIAN,	
		ROBERT B.	
RABJOHN, NORMAN. See FLORY, PAUL J.		TRELOAR, L. R. G. Flow phenomena in rub-	
RADCLIFF, R. R. See FORMAN, D. B.		ber. II. Flow curves for GR-S rubber	347
RADCLIFF, R. R. See FORMAN, D. B. REID, SHELTON J. See LAWRENCE, J. W. ROSSLER, FRITZ. Flow phenomena in rubber		Harte A I See Strong C	
samples	67	ULTÉE, A. J. See SALOMON, G.	
ROONEY, G. See BEAVEN, E. W. J. ROSSEM, A. VAN. Light phenomena on elongating vulcanized rubber		VAN GUA G E See Gua G E van	
Rossem, A. van. Light phenomena on	222	VAN GILS, G. E. See GILS, G. E. VAN. VAN ROSSEM, A. See ROSSEM, A. VAN.	
elongating vulcanized rubber	332	VAN VEERSEN, G. J. See VEERSEN, G. J. VAN.	
, AND HOEKSTRA, J. Mastication of		VEERSEN, G. J. VAN. Hydrochlorination of	
rubber. I	185	rubber in latex. VILLAIN, HENRI. Action of copper and its	461
		derivatives on the aging of rubber	352
Salomon, G., Koningsberger, C., and Ultree, A. J. Kinetic analysis of rubber		derivatives on the aging of rubber	304
ULTEE, A. J. Kinetic analysis of rubber		WAGNER PAUL T See POLLACE LOUIS P.	
halides	447	WAKE, W. C. See BORROFF, E. M.: HUM-	
SAPOZHKOVA I. See DOGADEIN R		PHREYS, N. C.	
halides. Salvetti, A. See Le Bras, J. Sapozhkova, L. See Dogadkin, B. Schaefer, W. Color reactions of some ac-		WAGNER, PAUL T. See POLLACK, LOUIS R. WAKE, W. C. See BORROFF, E. M.; HUM-PHREYS, N. C. WALKER, H. W., AND MOCHEL, W. E. Alter-	
celerators in current use	292	ation of Neoprene by polymerization tem-	
SCHAEFFER, W. D. See SMITH, W. R.		Wayy mag C C See Apage P I	652
SCHIDROWITZ, PHILIP. Giuseppe Bruni	303	WELCH, L. M. See BECKWITH R K	
SCHOFFELD, J. R. See BLOW, C. M.		WHITE, H. G. See HARPER, D. A.	
celerators in current use. SCHAEFEER, W. D. See SMITH, W. R. SCHIDROWITZ, PHILIP. Giuseppe Bruni SCHOTIELD, J. R. See BLOW, C. M. SCOTT, J. R. Aging of GR-S vulcanizates. III. Some effects of oxygen and temperature on aging.		WHORLOW, R. W. See Scott, J. R.	
ture on aging	390	ation of Neopreme by polymerization temperature. Wanless, G. G. See Adams, R. J. Welch, L. M. See Beckwith, R. K. White, H. G. See Harper, D. A. Whorlow, R. W. See Scott, J. R. Wilkinson, C. S. See Geman, S. D. Williams, P. L. See Gardner, E. R. Windemuth, E. See Bayer, O. Witte, R. S., Mrowca, B. A., and Guth, E.	
IV. Influence of the vulcanizing ingredi-		WILLIAMS, P. L. See GARDNER, E. R.	
ents, antioxidant, and softener, and Whorlow, R. W. Interpreta-	397	WINDEMUTH, E. See BAYER, O. WITTE, R. S., MROWCA, B. A., AND GUTH, E.	
, AND WHORLOW, R. W. Interpreta-	6	Propagation of audiofrequency sound in	
SHAPPER MARCIA C. See FLORY PAUL I		high polymers. Wood, L. A., and Tilton, L. W. Refractive index of natural rubber for different wave	163
SHELTON, J. REID. See LAWRENCE, J. W.		WOOD, L. A., AND TILTON, L. W. Refractive	
SMITH, W. F. See HARPER, D. A.		index of natural rubber for different wave	001
tion of plasticity measurements. SHAFFER, MARCIA C. See FLORY, PAUL J. SHELTON, J. REID. See LAWRENCE, J. W. SMITH, W. F. See HARFER, D. A. SMITH, W. R., AND SCHAEFFER, W. D. Nature and activity of carbon black surfaces.		lengths. Wood, R. I. See Blow, C. M. Woodford, D. E. See Gehman, S. D.	661
	625	WOODFORD, D. E. See GEHMAN, S. D.	
SOBOLEVA, I. See DOGADKIN, B. STAFFORD, R. L. Observations on the oxida-		Trouble and an are comment of an	
tion of rubber in light	404	YOSHIDA, USABURO. See PARK, CHULLCHAI.	
SUE	JECT	INDEX	
	•		
Absorption, oxygen, of vulcanizates	425	Antioxidant	005
Accelerators,	ana	effect of traces, in crude GR-Sinfluence of, on aging of GR-S vulcani-	905
color reactions of	292		
tion	533	Aqueous dispersion, reaction of bromine with	
Action of copper and its derivatives on the		ruboer in	407
aging of rubber	352	Audiofrequency, sound, propagation of, in	100
Adhesion		high polymers	163
of rubber to textiles I. Preliminary evaluation of synthet-		D	
 Preliminary evaluation of synthetic rubbers in rubber-to-fabric adhe- 		Bonding	945
sion	467	of rubber to metal by means of new chemi-	
sion. II. Factors influencing the load re-		cal derivatives of rubber	281
quired to strip rubber from labric and	400	Bromine, reaction with rubber in aqueous dis-	
foil surfaces	482 490	persion Philip gabi	457
III. Examination of test technique IV. Formation of staple fiber in rubber	100	Bruni, Giuseppe. Obituary by Philip Schi- drowitz	303
to fabric adhesion	900	Butadiene-styrene copolymers	98
of rubber to cord fabric	921	Butyl	
rubber-cord fabric	698	inner tubes, low-temperature performance	OMC
of GR-S by carbon black	417	of	670 933
in reënforcement of GR-S	229	tack of, and natural rubbers	900
Aging		Carbon black	
of GR-S vulcanizates.		adsorption of GR-S by	417
III. Some effects of oxygen and temper-	390	in compounded rubber, combustion method	
IV. Influence of the vulcanizing ingredi-		for estimation of	706
ents, antioxidant, and softener	397	structures in rubber reënforced by	615
resistance, evaluating	425	surfaces, nature and activity of	625 733
of rubber, action of copper on	352	thixotropic behavior, of, in rubber	
Alteration of Neoprene by polymerization	0.50	cord fabric adhesion	698
temperature	652		

SUBJECT INDEX

	Page		Page
Cellular rubber, zinc dibutyldithiocarbamate		Evaluation of flex life and heat build-up prop-	- ugo
in manufacture of	897	erties of elastomers	910
Characteristics of reinforcing furnace blacks.	000	Extension, 2-dimensional, caused by vulcan-	
Processing shrinkage	252	ization of natural and butadiene-styrene	
ing rubber to metals	281	rubbers	553
Chemicals, rubber, staining problems associ-	201	Fabric	
ated with	512	adhesion, .	
Color reactions of some accelerators in current	900	rubber	500
Combustion method for the estimation of	292	rubber-cord,	698
carbon black in compounded rubber	706	synthetic rubbers in rubber to	921
Compounding		ber from	482
of GR-S, variations in	242	Fiber in rubber to fabric adhesion	500
of hard rubber (natural and synthetic) of natural rubber in oxygen-free atmos-	266	Fibrous materials, estimation of small per-	
phere	537	centages of rubber in	300 635
Compression		Filler, reënforcement, theory of	000
stress relaxation in	786	nuers	414
test, dynamic for adhesion rubber-to-cord	921	Flex life, evaluation of, and heat build-up	
fabric	921	Properties of elastomers	910
based on	608	in rubber. II. Flow curves for GR-S	
Control of undesirable viscosity increases in		rubber	347
latex compounds	691	in rubber samples	67
Copper and derivatives, action of, on aging of		Free retraction of elongated rubbers	587
rubber	352	Fresh Hevea latex. A complex colloidal system.	644
in raw materials, determination of	972	Frozen raw rubber, crystallization in	310
Cord fabric	000	Furnace blacks, reënforcing	252
adhesion, rubber	698 921		
Cross-linking, degree of, dependence of tensile	021	Gough-Joule coefficients	44
strength of vulcanized rubber on	. 27	Grading and testing of natural rubber	107
Crystallinity, degree of, in natural rubber		GR-S	
	319	adsorption of, by carbon black	417
Crystallization in frozen raw rubber and stretched vulcan-		in reënforcement of	229
ized rubber	310	crude, stability of	905
in high polymers, thermodynamics of	576	flow curves for	347
Cyclic sulfide formation	326	heat deterioration of	$\frac{205}{242}$
		oxidation of compounds structurally re-	2.50
Degree of crystallinity in natural rubber.		lated to	836
III. Correlation between x-ray and density	306	solutions, carbon black suspensions in	803
IV. Degree of crystallization in frozen raw	300	vulcanizates, aging of	397
rubber and stretched vulcanized rubber	310	Wellder without blands and out of	447
V. A discussion of the x-ray results on		Halides, rubber, kinetic analysis of Hard rubber, compounding of	447 226
natural rubber in connection with the work of Flory, Gee, and Wildschut	319	Have mechanical stresses any effect on the	220
Density measurements	306	oxidisability of rubber?	535
Dependence	000	Heat deterioration of GR-S	205
of elastic properties of vulcanized rubber on		Hydrochlorination of rubber in latex Hysteresis, elongation, of Hevea and synthe-	461
the degree of cross-linking	9	tic elastomers	744
of tensile strength of vulcanized rubber on degree of cross-linking	27		
degree of cross-linking Leterioration, heat, of GR-S	205	Improved-processing GR-S by variations in	
Determination	200	compounding	242
of copper in raw materials used in the rub-		Infrared studies of 1,2- and trans-1,4-structure	
ber industry	972	of polybutadiene and butadiene-stryene	
direct, of oxygen in rubbers. Application of the Unterzaucher method	727	copolymers polymerized at various tem- peratures.	98
of the molecular weight of rubber and poly-	121	Inner tubes, Butyl.	670
styrene by the methods of light scatter-		Insulation effect of soil microorganisms on	
ing and osmometry	89	rubber	117
Direct determination of oxygen in rubbers.	727	Interaction between polymers and fillers Interpretation of plasticity measurements	414 683
Dynamic compression test for adhesion of		Investigations in the field of rubber vulcani-	000
rubber to cord fabric	921	ration.	
		IV. Phenomenon of vulcanization opti-	
Effect		mum in mixtures with a large proportion	,
of chemical agents on heat deterioration of	905	of constructive agent	1
GR-Sof soil microörganisms of rubber insulation.	$\frac{205}{117}$	modulus during vulcanization of natural	
Elastic properties of vulcanised rubber	9	and butadiene-styrene rubbers	553
Elastic properties of vulcanised rubber Elevated and subnormal temperatures of		VII. Influence of organic accelerators on	
natural and synthetic rubbers	338	the kinetics of vulcanisation and proper-	563
Flongated rubbers, free retraction of	587	ties of natural-rubber vulcanizates	000
ngating vulcanized rubbers, light phe- nomena on	332	Kinetic	
Elongation hysteresis of Hevea and synthetic			447
elastomers	744	study of the exidation of rubber. I. Some	97.4
Estimation of small percentages of rubber in	300	observations in the case of raw rubber	374 563
fibrous materials	300	Kinetics of vulcanization	000

	Page		Page
Latex		Permanent set in vulcanized rubber	536
compounds, undesirable viscosity increases		Plasticity measurements	683
in	691	Plasticizers for polar synthetic rubbers	217
fresh Hevea	644	Polarographic determination of sine in com-	
Hevea, oxidation process in	858	pounded rubber	975
hydrochlorination of rubber in	461	Polybutadiene. Infrared studies of structure	0.0
mechanical stability test foroxidation processes inreclaim- casein mixtures for rubber-cord	981 858	Polyisoprenes, cyclic sulfide formation in re- action of sulfur with	98
-reclaim- casein mixtures for rubber-cord fabric adhesion	698	Polymerization temperature, alteration of Neoprene by	326
vulcanized, structure of,	847	Neoprene by	652
Light phenomena on elongating vulcanized rub-		Polystyrene, determination of molecular weight of	89
bers	332	Preparation and properties of highly purified	
bers. scattering, determination of molecular weight of rubber and styrene by method of		rubber. Processing shrinkage of furnace blacks	$\frac{440}{252}$
Load required to strip rubber from fabric	89	Propagation of audiofrequency sound in high polymers	163
and foil surfaces	482	of ultrasonic bulk waves in high polymers	172
Low-temperature behavior of butadiene-styrene copolymers.	760	Purified rubber, preparation and properties of	440
performance of Butyl inner tubes	670	Raw rubber, kinetic study of oxidation of	374
stiffening of elastomers Low temperatures, time and stress effects of	770	Reaction	
rubber at	54	of bromine with rubber in aqueous suspen- sion, and its analytical use	457
		of sulfur and sulfur compounds with olefinic	
Mastication		substances. VI. Factors influencing cyclic sulfide formation in the reaction	
and compounding of natural rubber in an		cyclic sulfide formation in the reaction	
oxygen-free atmosphere	537	of sulfur with polyisoprenes	326
of rubber.		Reactions, color, of accelerators Reclaim-casein, latex-, mixtures for rubber-	292
Į	185	Reclaim-casein, latex-, mixtures for rubber-	
Measurement of stress relaxation of unvul-	196	cord fabric adhesion	698
Measurement of stress relaxation of unvul-		Reënforcement,	
Chinged Pubber by means of the Mooney		filler	635
shearing-disc viscometer	601	of GR-S. mechanism of	229
Mechanical		mechanism of	
stability test for Hevea latex	981	***************************************	803
stresses and effect on oxidizability of rub-		** **************************	417
ber	535	Reënforcing furnace blacks	252
Mechanism of reënforcement.		Refractive index of natural rubber for differ-	
III. Viscosity of carbon black suspensions	000	ent wave lengths	661
in GR-S solutions	803	Relationship between Gough-Joule coem-	4.4
IV. Adsorption of GR-S by carbon black	417	cients and moduli of vulcanized rubbers	44
Metals, bonding of rubber to	281	Relaxation	
Moduli of vulcanized rubbers	44	atress,	601
Modulus, 2-dimensional extension, during vul-		measurement of	601
canization of natural and butadienestyrene	***	of some rubber and synthetic rubber vul-	-
rubbers	553	Parietes	786
Molecular weight of rubber, determination of .	89	Resistance, tear, of vulcanized rubber	362 587
Molecule, rubber, and tensile strength of	581 601	Retraction, free, of elongated rubbers	229
Mooney shearing-disc viscometer	001	Role of adsorption in reenforcement of GR-S.	945
***	005	Rubber bonding	9.40
Nature and activity of carbon black surfaces.	625	Set, permanent, in vulcanized rubber	536
Neoprene		Softener influence of on aging of CR-S vul-	000
alteration of, by polymerization tempera-	652	Softener, influence of, on aging of GR-S vul-	397
Type W, vulcanization of	874	canisates Soil microörganisms, effect of, on rubber in-	384
New types of highly elastic substances. Vul-		sulation	117
collans	812	Some new compositions based on condensa-	***
		tion rubbers Some problems involved in the grading and	608
Observations on the evidation of subbar in		Some problems involved in the grading and	
Observations on the oxidation of rubber in	404	testing of natural rubber. A progress re-	
Olefinic substances, reaction of sulfur with	326	port	107
Ontimum vulcenization of mixtures	1	Stability	
Optimum vulcanization of mixtures Osmometry determination of molecular weight		of crude GR-S. Effect of traces of anti-	
of rubber and polystyrene by method of	89	oxidant	905
Oxidation	90	test mechanical, for Hevea latex	981
of compounds structurally related to GR-S	836	Sound, audiofrequency, in high polymers	163
processes in latex of Hevea brasiliensis	858	Staining problems associated with rubber chemicals	
of rubber	000	chemicals	512
kinetic study of	374	Stiffening, low-temperature, of elastomers	770
in light	404	Stress	
in lightOxidizing agents in vulcanization	888	effects in rubber at low temperatures	54
Oxygen	000	relaxation of some rubber and synthetic-	786
absorption of vulcanizates. A means of		rubber vulcanizates in compression	100
evaluating aging resistance		Stresses, mechanical, and effect on oxidizabil-	595
evaluating aging resistance	425	ity of rubber	535
-free atmosphere, mastication and com-		stretched	570
pounding of natural rubber in	537	rubber, incipient crystallization in	576
in rubbers, direct determination of (Unter-		vulcanized rubber	310
zaucher method)	727	Structure of vulcanized latex	847
and temperature, effects of, on aging of	000	Structures in rubber reënforced by carbon	
GR-S	390	black	615

SUBJECT INDEX

i i	n		73
	Page	****	Page
Subnormal and elevated temperature of na- tural and synthetic rubbers Sulfur and sulfur compounds, reaction with	338	Ultrasonic bulk waves in high polymers waves, velocity of propagation of	172 151
olefinic substances	326	Untergaucher method, in direct determination of oxygen in rubbers.	
Tack of Butyl and natural rubbers	933	Use of oxidizing agents in rubber vulcaniza- tion. Zinc oxide-free process	888
Tackmeter for rubber testing	719	Use of zinc dibutyldithiocarbamate in the manufacture of cellular rubber	897
resistance of vulcanized rubber	137 362	Velocity of propagation of ultrasonic waves	
Temperature, some effects of, on aging Tensile	390	and the form of the molecules of high poly- mers.	151
properties of natural and synthetic rubbers at elevated and subnormal temperatures	338	Viscometer, Mooney shearing-discViscosity	601
of rubber and the rubber molecule	581	of carbon black suspensionsincreases, undesirable, control of	803 691
of vulcanized rubber Test technique for adhesion rubber to textiles.	27 490	Vulcanization of Neoprene Type W	874
Testing		Vulcanizing ingredients, influence of, on aging of GR-S vulcanizates	397
of natural rubbertackmeter for rubber	107 719	Vulcollans	812
Textiles, adhesion of rubber and 467, 482, 490		x-Ray and density measurements	306
Theory of filler reënforcement. II Thermodynamics of crystallization in high	635	results on natural rubber	319
polymers. VI. Incipient crystallization in stretched vulcanized rubber	576	Zinc dibutyldithiocarbamate in manufacture of	
Thixotropic behavior of carbon black in rub- ber	733	cellular rubber	897 888
Time and stress effects in the behavior of rub-		oxide-free processpolarographic determination of, in com-	
ber at low temperature	54	pounded rubber	975